

Kløften Festival 2024 Fixture report

26-29/06/2024 Down Under stage

Fixtures

Unit	Channel	Patch	Circuit	Name	Mode	Optics	Location	Purpose	Weight	Rating
1	A.1			Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°			9kg 850g	480W
2	A.23			Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°			9kg 850g	480W
3	A.45			Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°			9kg 850g	480W
4	A.67			Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°			9kg 850g	480W
5	A.89			Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°			9kg 850g	480W
6	A.111			Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°			9kg 850g	480W
7	A.133			Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°			9kg 850g	480W
8	A.155			Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°			9kg 850g	480W
9	A.297			Roxx Cluster B2 FC	9CH DWE	75°	Stage Front LX		5,6kg	620W
10	A.306			Roxx Cluster B2 FC	9CH DWE	75°	Stage Front LX		5,6kg	620W
11	A.315			Roxx Cluster B2 FC	9CH DWE	75°	Stage Front LX		5,6kg	620W
12	A.324			Roxx Cluster B2 FC	9CH DWE	75°	Stage Front LX		5,6kg	620W
13	A.333			Roxx Cluster B2 FC	9CH DWE	75°	Stage Front LX		5,6kg	620W
14	A.342			Roxx Cluster B2 FC	9CH DWE	75°	Stage Front LX		5,6kg	620W
15	A.351			Roxx Cluster B2 FC	9CH DWE	75°	Stage Front LX		5,6kg	620W
16	A.360			Roxx Cluster B2 FC	9CH DWE	75°	Stage Front LX		5,6kg	620W
17	A.369			Roxx Cluster B2 FC	9CH DWE	75°	Stage Front LX		5,6kg	620W

18	A.378	Roxx Cluster B2 FC	9CH DWE	75°	Stage Front LX	5,6kg	620W
19	B.433	Roxx Cluster B2 FC	9CH DWE	75°	LX 1	5,6kg	620W
20	B.442	Roxx Cluster B2 FC	9CH DWE	75°	LX 1	5,6kg	620W
21	B.451	Roxx Cluster B2 FC	9CH DWE	75°	LX 1	5,6kg	620W
22	B.460	Roxx Cluster B2 FC	9CH DWE	75°	LX 1	5,6kg	620W
23	B.469	Roxx Cluster B2 FC	9CH DWE	75°	LX 1	5,6kg	620W
24	B.478	Roxx Cluster B2 FC	9CH DWE	75°	LX 1	5,6kg	620W
101	B.1	Martin MAC Allure Profile	Basic	11,7° - 34,3°	LX 1	17,6kg	493W
102	B.33	Martin MAC Allure Profile	Basic	11,7° - 34,3°	LX 1	17,6kg	493W
103	B.65	Martin MAC Allure Profile	Basic	11,7° - 34,3°	LX 1	17,6kg	493W
104	B.97	Martin MAC Allure Profile	Basic	11,7° - 34,3°	LX 1	17,6kg	493W
105	B.129	Martin MAC Allure Profile	Basic	11,7° - 34,3°	LX 1	17,6kg	493W
106	B.161	Martin MAC Allure Profile	Basic	11,7° - 34,3°	LX 1	17,6kg	493W
107	B.193	Martin MAC Allure Profile	Basic	11,7° - 34,3°	LX 1	17,6kg	493W
108	B.225	Martin MAC Allure Profile	Basic	11,7° - 34,3°	LX 1	17,6kg	493W
201	B.257	Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°	LX 1	9kg 850g	480W
202	B.279	Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°	LX 1	9kg 850g	480W
203	B.301	Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°	LX 1	9kg 850g	480W
204	B.323	Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°	LX 1	9kg 850g	480W
205	B.345	Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°	LX 1	9kg 850g	480W
206	B.367	Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°	LX 1	9kg 850g	480W

207	B.389	Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°	LX 1	9kg 850g	480W
208	B.411	Robe Robin LEDBeam 350 FW	1 - Standard 16-Bit [Col Mix=RGBW] 1.3	5,4° - 60°	LX 1	9kg 850g	480W
401	A.177	Cameo Zenit W600	15 Channel	100°	Stage	13kg	565W
402	A.192	Cameo Zenit W600	15 Channel	100°	Stage	13kg	565W
403	A.207	Cameo Zenit W600	15 Channel	100°	Stage Front LX	13kg	565W
404	A.222	Cameo Zenit W600	15 Channel	100°	Stage Front LX	13kg	565W
405	A.237	Cameo Zenit W600	15 Channel	100°	Stage Front LX	13kg	565W
406	A.252	Cameo Zenit W600	15 Channel	100°	Stage Front LX	13kg	565W
407	A.267	Cameo Zenit W600	15 Channel	100°	Stage	13kg	565W
408	A.282	Cameo Zenit W600	15 Channel	100°	Stage	13kg	565W
501	A.509	Look Solutions Viper deLuxe	Standard		Stage	47kg	2,6KW
502	A.511	Look Solutions Viper deLuxe	Standard		Stage	47kg	2,6KW
						586kg	31kW 264W